

THE NORWEGIAN EXPERIENCE






NEWS2015

NDEX

The history of Nordpeis and of heating	4
PRODUCTS	
Atlanta	26
Denver	28
Lisboa	28
Osaka	30
Panama Low	32
Salzburg C	32
Taipei	34
N-20F	36
X-20F	36
TECHNICAL INFORMATION	
All products	38



All images were produced by www.bluemotion.it



THE HISTORY OF NORDPEIS AND OF HEATING

The fireplace has always held a special place in the hearts and homes of Norwegians. Norway is famous for its cold winters and long nights, heavy snowfall and icy winds. Fire has always been essential here, more so than just about anywhere else in the world. The fire is the heart of the home, a badly needed source of heat, light and security. The heat from the fire has played a vital role throughout history, ensuring our survival.

STRONG ROOTS IN A MODERN COUNTRY

Nowadays, Norway is a modern, high-tech country, and the cold is a blessing - for anyone who wants to keep themselves warm, that is. Norwegians certainly do, and despite all the new technology that

is available, nothing has been able to replace the warm atmosphere that a crackling fire can provide in our houses and cabins. Norwegians have always had strong roots and a history of reliance on fire, and this is still the case today. Even now, Norway has more fireplaces per household than anywhere else in the world

CREATED FROM NORWEGIAN HISTORY

Nordpeis was established almost 30 years ago, and we have been pouring Norwegian history and old traditions into our fireplaces ever since. Draped in quality, and incorporating modern technology and design, this has been our recipe for success. Quality was our promise then, and quality is our promise today. Our fireplaces combine old traditions with


modern functionality. The fire still gives the same feeling, but our products satisfy even the most stringent demands for clean combustion. This all leads to the Norwegian experience, incorporating enjoyment, good heating and a clear conscience.

MORE THAN HEAT

The status of the fireplace has changed over time. It is no longer just a source of heat, but rather a central part of our homes. Our fireplaces have been designed with clean lines, focusing attention on the flames. With our wide product range and the potential to adapt to meet personal tastes, there is something here for everyone. The result – timeless classics that form a natural meeting point in modern homes.

4 Nordpeis 5























PRODUCTS

PLACEMENT AND FLAME VISIBILITY



CORNER

Front or corner glass



Frontglass

FREESTANDING



Front and lateral glass



Front and lateral glass



Corner glass



Tunnel

ATLANTA Low

H 1185 / W 531 / D 509 mm

Fresh air supply: Yes Length of logs (cm): 30 Nominal output (kW): 5



ACCESSORIES
Fresh air supply
Floorplate in clear glass

This is a beautiful new series of oval shaped fireplaces / stoves. Atlanta's elegant shape gives a soft expression and easy to place in any home. There are two different heights, and various combinations of black or white Colorado that is soft to the touch. Atlanta can be placed freestanding in a room, in a corner or a straight wall.







Colorado White

Colorado White

Colorado White & Anthracite

Colorado Anthracite

Please note: For the Colorado versions there may be differences in color and surface. A homogeneous color and surface structure can not be guaranteed

ATLANTA High

H 1485 / W 531 / D 509 mm

Fresh air supply: Yes Length of logs (cm): 30 Nominal output (kW): 5



ACCESSORIES
Fresh air supply
Floorplate in clear glass

This is a beautiful new series of oval shaped fireplaces / stoves. Atlanta's elegant shape gives a soft expression and easy to place in any home. There are two different heights, and various combinations of black or white Colorado that is soft to the touch. Atlanta can be placed freestanding in a room, in a corner or a straight wall.

For inspirational picture see page 14.







Colorado White



Colorado White & Anthracite



Colorado Anthracite

Please note: For the Colorado versions there may be differences in color and surface. A homogeneous color and surface structure can not be guaranteed

DENVER

H 1476 / W 1347 / D 981 mm

Fresh air supply: Yes Length of logs (cm): 40 Nominal output (kW): 7



ACCESSORIES

Fresh air supply Floorplate in clear glass Ash solution


A classic fireplace with its low burning chamber, making it perfect for any living room. The large angular glass gives a beautiful view of the flames from various angles.

The rounded bench is in Colorado Anthracite, giving a soft and warm touch, and Denver has a generous log storage unit next to the insert.

Denver can be mirrored, placing the insert to the right or

For inspirational picture see page 16.







Frame colours







LISBOA

H 1629 / W 417 / D 450 mm

Fresh air supply: Yes Length of logs (cm): 30 Nominal output (kW): 4 ACCESSORIES

Fresh air supply Floorplate in clear glass Ash solution Power Stone - heatstoring



Nordpeis designed Lisboa with three ideas in mind: great flame visibility, easy to place and uncomplicated design.

The insert is placed high up and with its three glass windows, the flames can be clearly seen from every direction, giving this relatively small fireplace a large clearly visible flame picture.

With it's narrow depth and width it occupies little space and can be placed against most straight walls. It can be top or rear connected to the chimney.

For inspirational picture see page 12.







H 1720 / W 736 / D 403 mm

Fresh air supply: Yes Length of logs (cm): 40 Nominal output (kW): 7



ACCESSORIES

Fresh air supply Floorplate in clear glass Marble fronts (Carrara, sandblasted Ruivina) Ceramic fronts (Rusty Brown, Diamond Black, Diamond Silver)

The idea behind Osaka was to create a slender fireplace with a simple design. This was to leave the insert and the flame picture in focus. Osaka can be installed in its simplicity, or with any of decorative fronts in ceramic and stone, which gives the design an exclusive touch.

Osaka is a simple and modern fireplace with emphasis on quality materials and nice surfaces.

It can be placed directly against a combustible wall..

For inspirational picture see page 20.

Frame colours









opaque



Black

MARBLE FRONTS









CERAMIC FRONTS







Diamond Black

Diamond Silver

Rusty Brown

PANAMA L

H 1513 / W 940 / D 530 mm

Insert: Q-23FL / Q-34AL Fresh air supply: Yes Length of logs (cm): 50 Nominal output (kW): 6 / 7

Nordpeis is happy to introduce its newest member to the successful Panama concept. This is a Low version, with the air outlet integrated in the top section. It can be combined

with the corner bench, that exists with Carrara marble or Colorado Anthracite top plates. As with the other Panama

models, the inserts are equipped with a lift door.

For inspirational picture see page 8.



Bench with Colorado Anthracite



ACCESSORIES

Fresh air supply Floorplate in clear glass Bench with top plate

Powerstone - heat accumulating block



with insert Q-23FL



with insert Q-34AL right



with insert Q-34AL left

SALZBURG C

H 1770 / W 800 / D 550 mm

Fresh air supply: Yes Length of logs (cm): 40 Nominal output (kW): * Weight (kg): 610*

This is the fourth member of the Salzburg heat accumulating series from Nordpeis, and the first model with an angular insert. Salzburg C is optimal when you want to see the flames from various angles.

It can be placed free standing, in a corner or against a straight wall. There is the option of various ceramic fronts to decorate Salzburg C and give it a more personal expression.

For inspirational picture see page 18.



Bench with Carrara marble

Floorplate in clear glass Cearmic fronts (Diamond Black, Rusty Brown, Diamond Silver)

> For more information about our Salzburg heataccumulating family, please see the separate Salzburg catalogue or visit our webpage: www.nordpeis.de







Diamond Black



Diamond Silver



Rusty Brown

^{* =} Testing was not completed at the time of print. See www.nordpeis.de for more information.

H 1640 / W 443 / D 455 mm

Fresh air supply: Yes Length of logs (cm): 40 Nominal output (kW): 4

Nordpeis is very proud to present Taipei in 2015, a completely new model, challenging traditional notions of what is a fireplace or a stove, with its narrow diameter, making it easy to place anywhere in the home.

Taipei is tall and slender, with an elegant curved back. The unique burning chamber is vertical and the logs are placed standing up. There are 5 different exclusive fronts in ceramics and marble, to give that personal expression, fitting into any home.

For inspirational picture see page 10.



ACCESSORIES

Fresh air supply Floorplate in clear glass Marble fronts (Carrara, sandblasted Ruivina) Ceramic fronts (Rusty Brown, Diamond Black, Diamond Silver)







Painted white

MARBLE FRONTS



Please note: For the Colorado versions there may be differences in color and surface. A homogeneous color and surface structure can not be guaranteed.



Colorado White with Carrara



Colorado White with sandblasted Ruivina

CERAMIC FRONTS



Colorado White with Diamond Black



Colorado White with Diamond Silver



Colorado White with Rusty Brown

N-20F

Fresh air supply: Yes Length of logs (cm): 40 Weight (kg): 86 Flue pipe Ø (mm): 150 Flue connection: top

Output range (kW): 2-10 Nominal output (kW): 7 Efficiency (%): 82 Particules CO @ 13% O₂: 0,08 Smoke outlet temperature °C: 275

ACCESSORIES

Fresh air supply

In 2015 we present two new doors to this very popular insert: Exlcusive White with chrom frame and handles, as well as the new Standard Black with a thinner and more elegant outer frame. The Exclusive Black if of course also still available.







Frame colours







Chrome opaque

Exlusive Black

Exlusive White

X-25F

Fresh air supply: Yes Length of logs (cm): 50 Weight (kg): 96 Flue pipe Ø (mm): 150 Flue connection: top

Output range (kW): 3-6 Nominal output (kW): 7 Efficiency (%): 81 Particules CO @ 13% O₂: 0,08 Smoke outlet temperature °C: 243

ACCESSORIES

Fresh air supply

This little insert in widescreen format is pretty much the most innovative product Nordpeis has developed. It could even be the slimmest insert for wood burning on the market.

The logs are placed lower in the combustion chamber which increases the combustion temperature and thus ensures the clean combustion at a low nominal output.

For inspirational picture see page 22.




TECHNICAL INFORMATION


For up to date information please see the installation manual - www.nordpeis.com

		DimensionS (mm)			Weigh	Weight (kg)		Flue connection		ction			nection at (mm)		Safety distances (mm)				(cm)	(<u>%</u>		13%		ture	<u> </u>		
Modell	Product page	Height	Width	Depth	Insert	Standard	Colorado	Flue pipe Ø (mr	Тор	Posterior	Lateral	Fresh air supply	Top (V)	Posterior (Y)		to wall behind at 90° (a)	to lateral wall at 90° (b)	in a corner 45° (c)	to the ceiling (d)	Length of logs (Output range (k	Nominal output (kW)	Particules C° @ O2	Efficiency (%)	Smoke temperat °C	Förderdruck (pa)	Modell
Atlanta High	28	1485	531	509	S-26R	225	225	150	Yes	Yes	No	Yes	1146	1053		50	380	50	350	30	4-8	5	0,07	79,5	313	12	Atlanta High
Atlanta L	28	1185	531	509	S-26R	196	196	150	Yes	Yes	No	Yes	964	882		50	380	50	350	30	4-8	5	0,07	79,5	313	12	Atlanta L
Denver	30	1476	1347	981	N-36A	397	-	150	Yes	Yes	Yes	Yes	1356	1279		0	0	-	740	40	4,5-10	7	0,09	78,0	286	12	Denver
Lisboa	30	1629	417	450	-	131	-	150	Yes	Yes	No	Yes	1230	1136		*	*	*	*	30	3-6	4	0,07	82,0	262	12	Lisboa
Osaka	34	1720	736	403	N-20F	275	-	150	Yes	Yes	No	Yes	1229	1403		0	200	-	600	40	2-10	7	0,07	82,0	261	12	Osaka
Panama Low - Straight	36	1513	940	530	Q-	270	-	150	Yes	Yes	No	Yes	1025	1195		*	*	*	*	50	4-9	6	0,07	80	248	12	Panama Low - Straight
Panama Low - Corner	36	1513	940	530	Q-	253	-	150	Yes	Yes	Yes	Yes	1025	1195		*	*	*	*	50	4-9	7	0,07	81	273	12	Panama Low - Corner
Salzburg C	36	1770	800	550	-	930	-	150	Yes	Yes	No	Yes	1679	1555		*	*	*	*	40	*	*	*	*	*	12	Salzburg C
Taipei	40	1640	443	455	X-20F	-	196	150	Yes	Yes	No	Yes	1336	1250		50	250	50	350	40	2,8-4	4	0,1	82,0	275	12	Taipei

^{* =} Testing was not completed at the time of print. See www.nordpeis.de for more information.

SAFETY DISTANCES





www.nordpeis.com

